essedielle
ENOLOGIALIMENTAZIONE
SISTEMA DI GESTIONE PER LA SICUREZZA ALIMENTARE
CERTIQUALITY
UNI EN ISO 22000:2018
OPERATORE CONTROLLATO S 1262
CERTIFICATO ICEA BIOLOGICO
essedielle srl
Loc. Macinini Fraz. Caldari
66026 Ortona (CH)
Num. REA CH-72915
P.IVA e CF: 00639090695
Codice Univoco SUBM70N
Capitale Sociale € 100.000,00

SAFETY DATA SHEET

CMC LIQUID 5

Revision No. 12, June 2025; Complies with Reg (EU) 2020/878

INDEX

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND THE MANIFACTURING COMPANY 2

2. HAZARD IDENTIFICATION 2

3. COMPOSITION/INGREDIENT INFORMATION 2

4. FIRST AID MEASURES 3

5. FIRE-FIGHTING MEASURES 3

6. MEASURES IN CASE OF ACCIDENTAL RELEASE 3

7. HANDLING AND STORAGE 4

8. EXPOSURE CONTROL/INDIVIDUAL PROTECTION 4

9. PHISICAL AND CHEMICAL PROPERTIES 5

10. STABILITY AND RESPONSIVENESS 6

11. TOXICOLOGICAL INFORMATION 6

12. ECOLOGICAL INFORMATION 7

13. DISPOSAL CONSIDERATIONS 7

14. TRANSPORTATION INFORMATION 7

15. REGULATORY INFORMATION 8

16. OTHER INFORMATION 8

essedielle srl
Loc. Macinini Fraz. Caldari
66026 Ortona (CH)
Num. REA CH-72915
P.IVA e CF: 00639090695
Codice Univoco SUBM70N
Capitale Sociale € 100.000,00

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND THE MANIFACTURING COMPANY

1.1 Product identification
Trade name: CMC Liquid 5
Chemical name and synonyms: Carboxymethyl cellulose in aqueous solution, citric acid and potassium metabisulfite

1.2 Relevant identified uses of the substance/mixture and uses not recommended
Food additive, for professional use only.

1.3 Information about the supplier of the safety data sheet
essedielle srl
S.P. 538 km. 6,950 - CALDARI
66026 ORTONA (CH)
ITALY
Phone: +39 (0) 85 9031315
Qualified persons responsible for the safety data sheet: laboratorio@essedielle.com

1.4 Emergency telephone number: essedielle srl +39 (0) 85 9031315 – 0039 3668134126
Poison Control Center
S.S. Annunziata Hospital – Chieti +39 0871 1551219

2. HAZARD IDENTIFICATION

2.1. Classification of the substance or mixture
The product is not considered hazardous according to EC Regulation 1272/2008 (CLP).

2.2 Label elements
Danger
Indications of Danger:
H318 Causes severe eye injury.
H335 May irritate the respiratory tract.
EUH031 In contact with acids releases a toxic gas.
Cautionary Statements:
P261 Avoid breathing dust/fume/gas/mist/vapors/aerosol.
P271 Use only outdoors or in a well-ventilated place.
P280 Wear protective gloves/protective clothing/protect eyes/face.
P304+340 IF INHALED: Transport casualty to fresh air and keep at rest in a position conducive to breathing.
P305+P351+P338 IF IN EYES: rinse thoroughly for several minutes. Remove any contact lenses if it is comfortable to do so. Continue to rinse.
P312 If you feel unwell, immediately contact an ANTI-VALENATION CENTER or doctor.
Special provisions according to Annex XVII of REACH and subsequent adaptations: none

2.3 Other hazards
vPvB Substances: none - PBT Substances: none

3. COMPOSITION/INGREDIENT INFORMATION

3.1 Substances
Trade name: CMC Liquid 5
Chemical name and synonyms: Carboxymethyl cellulose in aqueous solution, citric acid and potassium metabisulfite

Hazardous components under EC Regulation 1272/2008 (CLP) and their classification: 0.3% Potassium Metabisulfite

3.2 Mixture

Substance	Concentration	CAS	No. E
Carboxymethylcellulose	5%	9004-32-4	E466
Sulfur dioxide	0.3%	07446-09-5	E220
Citric acid	1-2%	5949-29-1	E330

4. FIRST AID MEASURES

4.1 Description first aid measures

In case of inhalation: take the casualty to fresh air. If breathing is difficult give oxygen or give artificial respiration.
In case of skin contact: remove contaminated clothing immediately. Wash immediately with plenty of running water and soap, if necessary, the areas of the body that have come in contact with the toxicant, even if only suspected. Wash the body completely (shower or bath).
In case of eye contact: wash immediately with running water with open eyelids for at least 15 minutes. Consult an ophthalmologist. Protect the uninjured eye.
In case of ingestion: induce vomiting. Seek immediate medical attention, showing safety data sheet.

5. FIRE-FIGHTING MEASURES

5.1 Extinguishing means

Suitable extinguishing means
Water. Carbon dioxide (CO2).
Extinguishing media that should not be used for safety reasons
None in particular

5.2 Special hazards from combustion products

Sulfur dioxide. Ammonia.

5.3 Recommendations for fire suppression operators

Use respiratory protection. Safety helmet and full protective clothing. Water spray can be used to protect people engaged in extinguishing It is also advisable to use self-contained breathing apparatus, especially if working in enclosed and poorly ventilated places and in any case if using halogenated extinguishing agents (fluobrene, solkane 123, naf etc.). Cool the containers with water jets.

5.4 Other information

Water used in firefighting that is contaminated with the product must be disposed of in accordance with local regulations.

6. MEASURES IN CASE OF ACCIDENTAL RELEASE

6.1 Personal precautions, personal protective equipment and emergency procedures

Wear personal protective equipment. Move people to a safe place. Refer to the protective measures set out in section 7 and 8.

essedielle srl
Loc. Macinini Fraz. Caldari
66026 Ortona (CH)
Num. REA CH-72915
P.IVA e CF: 00639090695
Codice Univoco SUBM70N
Capitale Sociale € 100.000,00

6.2 Environmental precautions
Prevent penetration into the soil/subsoil. Prevent runoff into surface water or sewage system.

6.3 Methods and materials for containment and remediation
Small quantities: wash with water and treat polluted water by oxidizing with hydrogen peroxide and neutralizing with soda ash or lime.
Large quantities: dam with sand or earth and mechanically collect in suitable containers.

6.4 Reference to other sections
See also paragraph 8 and 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling
Carefully avoid localized heating that would cause violently exothermic reactions.
The product slowly releases SO2, even at room temperature.
In cold climates, a temperature above 10°C should be maintained to avoid crystallization.

7.2 Conditions for safe storage, including any incompatibilities
Provide for appropriate containment basins.
Store in a cool, dry and well-ventilated place.
Do not store near acids, oxidizers or products capable of releasing acids.

7.3. Specific end uses
Food industries: handle with care. Store in a clean, dry and ventilated area, away from heat sources and direct sunlight. Keep container tightly closed.
Industrial uses: handle with extreme care. Store in a well-ventilated place and away from heat sources.
Professional uses: handle with caution.

8. EXPOSURE CONTROL/INDIVIDUAL PROTECTION

8.1 Control parameters
No occupational exposure limits available
DNEL exposure limit values: N.A.
PNEC exposure limit values: N.A.

8.2 Exposure controls

Eye protection
Wear safety glasses with side shields according to EN 166. Operate according to good working practices in any case.

Skin protection
No special precautions are required for normal use.

Hand protection
When handling pure product use chemical resistant protective gloves (EN 374-1/EN374-2/EN374-3) When handling pure product wear full skin protection clothing (generic/anti-acid

essedielle srl
Loc. Macinini Fraz. Caldari
66026 Ortona (CH)
Num. REA CH-72915
P.IVA e CF: 00639090695
Codice Univoco SUBM70N
Capitale Sociale € 100.000,00

work dress, S3-EN ISO 20345 safety shoes) or other protective equipment as directed by the RSPP.

Respiratory protection
During manual operations in case of inadequate ventilation, use mask with dust filter - White, P (EN 143) unless otherwise specified by RSPP and/or environmental hygiene survey assessments.

Exposure limits
TLV - TWA: not known (5 mg/m3 referred to SO2) (# ACGIH 2003)

Thermal hazards
None.

Environmental exposure controls
None.

9. PHISICAL AND CHEMICAL PROPERTIES

9.1 Information on general physical and chemical properties

Appearance	Clean liquid
Shape	Liquid
Color	Transparent
Odor	Sulfur dioxide
Olfactory threshold	None
Ph value	3.4 at 10%
CHANGE OF STATE	
Melting point/interval	Not determined
Boiling point/interval	Not determined
Flash point	Not determined
Flammability (solids, gases)	Not determined
Auto-ignition temperature	Not determined
Decomposition temperature	Not determined
Explosive properties	Non explosive
Lower flammability limits	Not determined
Upper flammability limits	Not determined
Vapor pressure at 20°C	Not determined
Density at 20°C	Not determined
Relative density	1.12 g/cm^3
Vapor density at 20°C	Not determined
Evaporation rate	Not determined
Solubility in / Miscibility with water:	Complete
Specific rotation	Not determined
Partition coefficient: n-octanol/water	Not determined
Dynamic Viscosity at 20 °C	Not determined
Kinematic Viscosity	Not determined

9.2 Other information

Molecular mass	Not determined

essedielle srl
Loc. Macinini Fraz. Caldari
66026 Ortona (CH)
Num. REA CH-72915
P.IVA e CF: 00639090695
Codice Univoco SUBM70N
Capitale Sociale € 100.000,00

Conductivity	Not determined
Liposolubility	Not determined
Particular properties groups of substances	
Other Useful Information	None

10. STABILITY AND RESPONSIVENESS

10.1 Responsiveness
Under normal conditions, it is completely stable to air and light.

10.2 Chemical stability
Under normal conditions, it is completely stable to air and light.

10.3 Possibility of dangerous reactions
None.

10.4 Conditions to be avoided
Violent heating: if heated violently it can undergo an exothermic disproportionation reaction with development of sulfur dioxide.

10.5 Incompatible materials
Oxidants-acids-alcohols.

10.6 Hazardous decomposition products
CMC – sulfur dioxide.

11. TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes defined in Regulation (EC) No. 1272/2008
Toxicological information regarding the mixture: the product is not toxic.
Anidride solforosa: LD50 (oral,rat) = 2300 mg/Kg

Unless otherwise specified, the data required by Regulation 453/2010/EC below are intended to be undetermined:

ATE (mix) oral = ∞
ATE (mix) dermal = ∞
ATE (mix) inhal = ∞

(a) acute toxicity: based on available data, the classification criteria are not met.
(b) corrosion / skin irritation: based on available data the classification criteria are not met.
(c) severe eye injury/irritation: based on available data the classification criteria are not met.
(d) respiratory or skin sensitization: based on available data the classification criteria are not met.
(e) germ cell mutagenicity: based on available data the classification criteria are not met.
(f) carcinogenicity: based on available data the classification criteria are not met.
(g) reproductive toxicity: based on available data the classification criteria are not met.
(h) specific target organ toxicity (STOT) single exposure: based on available data the classification criteria are not met.
(i) specific target organ toxicity (STOT) repeated exposure: based on available data the classification criteria are not met.
(j) Aspiration hazard: based on available data the classification criteria are not met.

essedielle srl
Loc. Macinini Fraz. Caldari
66026 Ortona (CH)
Num. REA CH-72915
P.IVA e CF: 00639090695
Codice Univoco SUBM70N
Capitale Sociale € 100.000,00

Health hazards
Eye contact: accidental contact of the product with the eyes may cause irritation.
Skin contact: the product is not an irritant. Repeated and prolonged direct contact may degrease and irritate the skin, causing dermatitis in some cases.
Ingestion: ingested product may cause irritation of the mucous membranes of the throat and digestive tract resulting in abnormal digestive symptoms and intestinal disorders.
Inhalation: prolonged exposures to vapors or mists of the product may cause respiratory tract irritation.

12. ECOLOGICAL INFORMATION

12.1 Toxicity
Use according to good working practices, avoiding dispersal in the environment.
Fish toxicity (acute toxicity) - Brachydemio rerio LC50 (96h): 460-1000 mg/l
Biotoxicity - Pseudomonas putida EC50 (17h): 65 mg/l
COD: 140 mg/g (calculated)
(a) Acute aquatic toxicity
Endpoint: LC50 - Species: Fish = 460-1000 mg/l - Duration h: 96
Endpoint: EC50 = 65 mg/l - Duration h: 17.

12.2 Persistence and degradability
Not relevant, inorganic substance.

12.3 Bioaccumulation potential
Minimum, not relevant.

12.4 Mobility in soil
N.A.

12.5 Results of PBT and vPvB assessment
vPvB substances: none - PBT substances: none

12.6 Other adverse effects
None. Phosphate is a plant nutrient and therefore can promote the growth of phytoplankton in water.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods
PRODUCT
Inorganic product not to be disposed of through biological treatment systems. Dispose of residues in compliance with current regulations through authorized disposers.
Recover if possible. Operate in accordance with current local and national regulations.
CONTAMINATED PACKAGING
Empty as best as possible by fully opening them. Dispose of in accordance with the constituent material.

13.2 HP Phrases
None

14. TRANSPORTATION INFORMATION

14.1 UN Number
Non-dangerous good within the meaning of transport regulations.

essedielle srl
Loc. Macinini Fraz. Caldari
66026 Ortona (CH)
Num. REA CH-72915
P.IVA e CF: 00639090695
Codice Univoco SUBM70N
Capitale Sociale € 100.000,00

14.2 UN proper shipping name
N.A.

14.3 Transport hazard class(es)
N.A.

14.4 Packing group
N.A.

14.5 Environmental hazards Marine pollutant
No

14.6 Special precautions for users
N.A.

147 Transport of bulk according to MARPOL Annex II and the IBC Code
N.A.

15. REGULATORY INFORMATION

15.1 Health, safety and environmental regulations and legislation specific to the substance or mixture
Legislative Decree 3/2/1997 No. 52 (Classification, packaging and labeling of dangerous substances)
Legislative Decree 14/3/2003 No. 65 (Classification, packaging and labeling of dangerous preparations)
D.M. Labor 26/02/2004 (Occupational exposure limits)
Ministerial Decree 03/04/2007 (Implementation of Directive No. 2006/8/EC)
Regulation (EC) No. 1907/2006 (REACH)
Regulation (EC) No. 1272/2008 (CLP)
Regulation (EC) No. 790/2009 (ATP 1 CLP)
Regulation (EU) No 453/2010 (Annex I)
Regulation (EU) No 286/2011 (ATP 2 CLP)
Restrictions on the product or substances contained under Annex XVII of the
Regulation (EC) 1907/2006 (REACH) and subsequent adaptations: None
Where applicable, please refer to the following regulations:
Ministerial Circulars 46 and 61 (Aromatic Amines).
Legislative Decree No. 238 of September 21, 2005 (Seveso Ter Directive).
EC Regulation No. 648/2004 (Detergents).
Royal Decree January 9, 1927, no. 147 (Toxic Gases)
D.L. 3/4/2006 n. 152 Environmental regulations.

15.2 Chemical safety assessment
No

16. OTHER INFORMATION

This sheet cancels and replaces any previous edition.

Main bibliographic sources
ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities.
SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition -Van Nostrand Reinold

essedielle srl
Loc. Macinini Fraz. Caldari
66026 Ortona (CH)
Num. REA CH-72915
P.IVA e CF: 00639090695
Codice Univoco SUBM70N
Capitale Sociale € 100.000,00

CCNL - Annex 1
National Institute of Health - National Inventory of Chemical Substances.

The information contained herein is based on our knowledge as of the date above.
It refers only to the product indicated and does not constitute a guarantee of any particular quality.
The user is responsible for ensuring the suitability and completeness of this information in relation to the specific use to be made of it.

LEGEND SYMBOLS
ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.
CAS: Service of the Chemical Abstract (division of the American Chemical Society).
CLP: Classification, Labeling, Packaging.
DNEL: Derived no-effect level.
EINECS: European inventory of existing chemicals on the market.
GefStoffVO: Ordinance on hazardous substances, Germany.
GHS: General harmonized system of classification and labeling of chemicals.
IATA: International Air Transport Association.
IATA-DGR: Regulations for the transportation of dangerous goods of the "International Air Transport Association"(IATA).
ICAO: International Civil Aviation Organization.
ICAO-TI: Technical Instructions of the "International Civil Aviation Organization"(ICAO).
IMDG: International Maritime Dangerous Goods Code.
INCI: International nomenclature of cosmetic ingredients.
KSt: Coefficient of explosion.
LC50: Lethal concentration for 50 percent of the population tested.
LD50: Lethal dose for 50 percent of the population tested.
N.A.: Not Available
PNEC: Predicted no-effect concentration.
RID: Regulations concerning the international transport of dangerous goods by rail.
STE: Short-term exposure.
STEL: Short-term exposure limit.
STOT: Specific target organ toxicity.
TLV: Threshold limit value.
TWATLV: Threshold limit value for an 8-hour weighted average exposure per day. (ACGIH standard).
WGK: German water hazard class.